

Mindful Eating: Apps Review

LALA GULUZADE, Lancaster University, UK

CORINA SAS, Lancaster University, UK

CCS Concepts: • **Human-centered computing** → **Human computer interaction (HCI)**.

Additional Key Words and Phrases: Mindful eating, mindfulness, healthy eating, mobile apps, food, sensory modalities

ACM Reference Format:

Lala Guluzade and Corina Sas. 2023. Mindful Eating: Apps Review. 1, 1 (March 2023), 4 pages. <https://doi.org/10.1145/nnnnnnn.nnnnnnn>

1 INTRODUCTION

Despite the growing body of HCI research on mindfulness technologies [25][26] and eating behaviors [29][33], there has been limited exploration of their intersection, particularly for the design of technologies for mindful eating [3][14]. Mindfulness involves being aware of the present moment, without judgment [12], which has been shown to have significant benefits for physical and mental health [1][4]. Mindful eating is the practice of paying attention to both physical and emotional experiences while consuming food [8]. This involves being fully present and mindful of the sensory qualities of food, while also tuning into internal bodily sensations such as hunger and satiety [18]. By being aware of triggers for eating, including thoughts and emotions, one can avoid overeating [27]. The sensory qualities of food, including its smell, taste, and haptics ones, play a crucial role in the experience of eating. These can influence a person's ability to savor their food by promoting slow and deliberate eating with smaller bites. Such mindful eating practices can help individuals become more aware of their eating behaviors and, ultimately, to make healthier food choices [17].

Considering its potential benefits, there has been limited research on designing for mindful eating. However, there has been a growth in mobile apps aimed at supporting mindful eating. To address the current gap, we report an initial reviewed 6 such apps for mindful eating.

2 METHOD

In order to identify the apps, we conducted a search on the Apple Store using the term "mindful eating". In this paper, we report preliminary findings from 6 apps that had at least a 4 out of 5 ratings and over 100 user reviews. We evaluated the apps using expert evaluation for which the first author used each app on an iPhone 7 for at least 2 hours, by considering concepts from mindful eating and mindfulness-based eating awareness training (MB-EAT) which focuses on increasing awareness of bodily sensations as well as sensory qualities of food to prevent problematic eating behavior [16]. Table 1 summarizes the functionalities of these 6 apps.

Authors' addresses: Lala Guluzade, guluzadl@lancaster.ac.uk, Lancaster University, UK; Corina Sas, c.sas@lancaster.ac.uk, Lancaster University, UK.

Permission to make digital or hard copies of all or part of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for components of this work owned by others than ACM must be honored. Abstracting with credit is permitted. To copy otherwise, or republish, to post on servers or to redistribute to lists, requires prior specific permission and/or a fee. Request permissions from permissions@acm.org.

© 2023 Association for Computing Machinery.

Manuscript submitted to ACM

Manuscript submitted to ACM

App Name	SENSORY MODALITIES of FOOD			MINDFUL EATING						
	Smell	Taste	Temperature	Guided mindfulness eating meditation						Relationship with one's body
				Body Awareness			Savour Food	Eating slowly	Small bites	Body acceptance
				Bodily sensations (hunger/ satiety)	How is captured	When is captured				
Rise Up	-	-	-	Hunger and satiety	Self-report	Before meal During meal After meal Random time	-	-	-	Yes
MEAL	-	-	-	Hunger and satiety	Self-report	Random time	Yes	Yes	Yes	Yes
Mindfulness Guided Meditation	-	-	-	-	-	-	Yes	Yes	-	Yes
EatRightNow	-	-	-	Hunger and craving	Self-report (5-point Likert scale)	Random time	Yes	-	-	Yes
Fabulous	-	-	-	Hunger and satiety	Self-report	Random time	Yes	Yes	Yes	Yes
Holly Health	-	-	-	Hunger and satiety	Self-report	Customised: Before meal During meal After meal Random time	-	-	-	-

Table 1. Some functionalities of top-rated mindful eating apps

3 FINDINGS

Findings indicate that all these 5 apps support (MEAL, Mindfulness Guided Meditation, EatRightNow, Fabulous) mindfulness guided meditation. With respect to support for mindful eating, 5 apps (Rise Up, MEAL, EatRightNow, Fabulous, Holly Healthy) capture self-reports of bodily sensations for hunger and satiety. This outcome is important, given the acknowledged value of the awareness of one's bodily sensations for mindful eating[16] and 4 of them prompt users to self-report emotional triggers for eating (Rise Up, MEAL, EatRightNow, Fabulous, Holly Health). All these 5 apps prompt self-reports at random times while 2 of them also prompt such self-reports of hunger or satiety before, during or after meal (Rise Up, Holly Health).

An important outcome is that none of the apps included sensory modalities of food, despite their importance for mindful eating [13].

Mindful eating involves a range of practices, such as savouring the flavour and texture of food, taking small bites, eating slowly, and accepting one's body [18]. During guided mindfulness eating meditation 4 apps (MEAL, Mindfulness Guided Meditation, EatRightNow, Fabulous) capture savoring food; 3 apps (MEAL, Mindfulness Guided Meditation, Fabulous) support slow eating. From these, 2 apps (MEAL, Fabulous) support this in audio modality; 4 apps capture body acceptance in audio modality (MEAL, Mindfulness Guided Meditation, EatRightNow, Fabulous), and one app as text (Rise Up).

4 DISCUSSION

Mindfulness practice has been shown to have significant benefits for mental [4] and physical health [11], and there has been a growing interest in developing mindfulness technologies that use brain-computer interfaces [25], visual and auditory feedback [7][23][28], and VR [2][15]. While many mindfulness apps emphasize guided meditation [5], there is a growing interest in designing technologies that incorporate the body's sensory experiences into the meditation practice [6]. However, the potential of such technologies for promoting mindful eating remains limitedly explored.

Food is an important material that can be experienced through senses both inside and outside the body [10]. Human-food interaction research has particularly explored multisensory experiences like taste, temperature, and smell [9][19][20][30][31][32]. Some studies have combined different sensory modalities such as taste and thermal stimuli [24] or thermal and smell [21][22] to create new flavors or experiences.

Mindful eating involves focusing on the sensory modalities of food, eating slowly in moderation, and being aware of bodily sensations, emotions, and external factors which can have a positive impact on healthy eating behavior. Our initial findings highlight that some of the commercial apps for mindful eating provide limited support for sensory modalities, despite the importance of bodily sensations and sensory modalities of food in mindful eating [13]. Our findings also suggest that future interfaces should consider incorporating food sensory modalities to support healthy eating and mindfulness. Additionally, leveraging past HCI research on multisensory aspects of eating can aid in the design of effective mindful eating technologies. Such interfaces can be designed to cater to users' specific requirements and serve as novel solutions.

5 CONCLUSION

HCI research on healthy eating and multisensory experiences of food separately explored different aspects of eating but limited support is observed for the significance of sensory modalities of food in promoting mindfulness eating. The core of mindfulness eating involves being aware of bodily sensations as well as sensory modalities of food. In this preliminary research on the evaluation of 6 mindful eating apps, we found that existing mobile interventions do not support sensory qualities of food such as smell, taste and temperature which are key for encouraging individuals to make healthier eating decisions. Neglecting the sensory aspects of food can hinder the effectiveness of interventions aimed at promoting mindfulness eating and healthy eating habits.

REFERENCES

- [1] Melbourne Academic Mindfulness Interest Group and Melbourne Academic Mindfulness Interest Group. 2006. Mindfulness-based psychotherapies: a review of conceptual foundations, empirical evidence and practical considerations. *Australian & New Zealand Journal of Psychiatry* 40, 4 (2006), 285–294.
- [2] Judith Amores, Xavier Benavides, and Pattie Maes. 2016. Psychicvr: Increasing mindfulness by using virtual reality and brain computer interfaces. In *Proceedings of the 2016 CHI conference extended abstracts on human factors in computing systems*. 2–2.
- [3] Eshita Sri Arza, Harshitha Kurra, Rohit Ashok Khot, and Florian'Floyd' Mueller. 2018. Feed the food monsters! Helping co-diners chew their food better with augmented reality. In *Proceedings of the 2018 annual symposium on computer-human interaction in play companion extended abstracts*. 391–397.
- [4] Kirk Warren Brown and Richard M Ryan. 2003. The benefits of being present: mindfulness and its role in psychological well-being. *Journal of personality and social psychology* 84, 4 (2003), 822.
- [5] Claudia Daudén Roquet and Corina Sas. 2018. Evaluating mindfulness meditation apps. In *Extended Abstracts of the 2018 CHI Conference on Human Factors in Computing Systems*. 1–6.
- [6] Claudia Daudén Roquet and Corina Sas. 2020. Body matters: exploration of the human body as a resource for the design of technologies for meditation. In *Proceedings of the 2020 ACM Designing Interactive Systems Conference*. 533–546.
- [7] Claudia Daudén Roquet, Corina Sas, and Dominic Potts. 2021. Exploring Anima: a brain-computer interface for peripheral materialization of mindfulness states during mandala coloring. *Human-Computer Interaction* (2021), 1–41.

- 157 [8] Celia Framson, Alan R Kristal, Jeannette M Schenk, Alyson J Littman, Steve Zeliadt, and Denise Benitez. 2009. Development and validation of the
158 mindful eating questionnaire. *Journal of the American dietetic Association* 109, 8 (2009), 1439–1444.
- 159 [9] Tom Gayler, Corina Sas, and Vaiva Kalnikaite. 2019. Taste your emotions: An exploration of the relationship between taste and emotional experience
160 for HCI. In *Proceedings of the 2019 on Designing Interactive Systems Conference*. 1279–1291.
- 161 [10] Tom Gayler, Corina Sas, and Vaiva Kalnikaite. 2022. Exploring the Design Space for Human-Food-Technology Interaction: An Approach from the
162 Lens of Eating Experiences. *ACM Transactions on Computer-Human Interaction* 29, 2 (2022), 1–52.
- 163 [11] Jon Kabat-Zinn. 1982. An outpatient program in behavioral medicine for chronic pain patients based on the practice of mindfulness meditation:
164 Theoretical considerations and preliminary results. *General hospital psychiatry* 4, 1 (1982), 33–47.
- 165 [12] Jon Kabat-Zinn. 2009. *Wherever you go, there you are: Mindfulness meditation in everyday life*. Hachette Books.
- 166 [13] Jon Kabat-Zinn and Thich Nhat Hanh. 2009. *Full catastrophe living: Using the wisdom of your body and mind to face stress, pain, and illness*. Delta.
- 167 [14] Rohit Ashok Khot, Deepti Aggarwal, and Nandini Pasumarthy. 2022. Understanding Screen-based Dining Practices through the Lens of Mindful
168 Eating. In *CHI Conference on Human Factors in Computing Systems*. 1–19.
- 169 [15] Ilkka Kosunen, Mikko Salminen, Simo Järvelä, Antti Ruonala, Niklas Ravaja, and Giulio Jacucci. 2016. RelaWorld: neuroadaptive and immersive
170 virtual reality meditation system. In *Proceedings of the 21st International Conference on Intelligent User Interfaces*. 208–217.
- 171 [16] Jean L Kristeller and Ruth Q Wolever. 2010. Mindfulness-based eating awareness training for treating binge eating disorder: the conceptual
172 foundation. *Eating disorders* 19, 1 (2010), 49–61.
- 173 [17] Jessica T Monroe. 2015. Mindful eating: principles and practice. *American Journal of Lifestyle Medicine* 9, 3 (2015), 217–220.
- 174 [18] Joseph B Nelson. 2017. Mindful eating: The art of presence while you eat. *Diabetes spectrum: a publication of the American Diabetes Association* 30, 3
175 (2017), 171.
- 176 [19] Marianna Obrist, Rob Comber, Sriram Subramanian, Betina Piqueras-Fiszman, Carlos Velasco, and Charles Spence. 2014. Temporal, affective, and
177 embodied characteristics of taste experiences: A framework for design. In *Proceedings of the SIGCHI conference on human factors in computing*
178 *systems*. 2853–2862.
- 179 [20] Nimesha Ranasinghe, Adrian Cheok, Ryohei Nakatsu, and Ellen Yi-Luen Do. 2013. Simulating the sensation of taste for immersive experiences. In
180 *Proceedings of the 2013 ACM international workshop on Immersive media experiences*. 29–34.
- 181 [21] Nimesha Ranasinghe, Thi Ngoc Tram Nguyen, Yan Liangkun, Lien-Ya Lin, David Tolley, and Ellen Yi-Luen Do. 2017. Vocktail: A virtual cocktail for
182 pairing digital taste, smell, and color sensations. In *Proceedings of the 25th ACM international conference on Multimedia*. 1139–1147.
- 183 [22] Nimesha Ranasinghe, Gajan Suthokumar, Kuan-Yi Lee, and Ellen Yi-Luen Do. 2015. Digital flavor: towards digitally simulating virtual flavors. In
184 *Proceedings of the 2015 ACM on international conference on multimodal interaction*. 139–146.
- 185 [23] Joan Sol Roo, Renaud Gervais, Jeremy Frey, and Martin Hachet. 2017. Inner garden: Connecting inner states to a mixed reality sandbox for
186 mindfulness. In *Proceedings of the 2017 CHI conference on human factors in computing systems*. 1459–1470.
- 187 [24] Nur Amira Samshir, Nurafiqah Johari, Kasun Karunanayaka, and Adrian David Cheok. 2016. Thermal sweet taste machine for multisensory internet.
188 In *Proceedings of the Fourth International Conference on Human Agent Interaction*. 325–328.
- 189 [25] Corina Sas and Rohit Chopra. 2015. MeditAid: a wearable adaptive neurofeedback-based system for training mindfulness state. *Personal and*
190 *Ubiquitous Computing* 19 (2015), 1169–1182.
- 191 [26] Jacek Sliwinski, Mary Katsikitis, and Christian Martyn Jones. 2017. A review of interactive technologies as support tools for the cultivation of
192 mindfulness. *Mindfulness* 8, 5 (2017), 1150–1159.
- 193 [27] Bob Stahl and Elisha Goldstein. 2019. *A mindfulness-based stress reduction workbook*. new harbinger publications.
- 194 [28] Anja Thieme, Jayne Wallace, Paula Johnson, John McCarthy, Siân Lindley, Peter Wright, Patrick Olivier, and Thomas D Meyer. 2013. Design to
195 promote mindfulness practice and sense of self for vulnerable women in secure hospital services. In *Proceedings of the SIGCHI Conference on Human*
196 *Factors in Computing Systems*. 2647–2656.
- 197 [29] Edison Thomaz, Aman Parnami, Irfan Essa, and Gregory D Abowd. 2013. Feasibility of identifying eating moments from first-person images
198 leveraging human computation. In *Proceedings of the 4th International SenseCam & Pervasive Imaging Conference*. 26–33.
- 199 [30] Carlos Velasco, Yunwen Tu, and Marianna Obrist. 2018. Towards multisensory storytelling with taste and flavor. In *Proceedings of the 3rd International*
200 *Workshop on Multisensory Approaches to Human-Food Interaction*. 1–7.
- 201 [31] Chi Thanh Vi, Damien Ablart, Daniel Arthur, and Marianna Obrist. 2017. Gustatory interface: the challenges of ‘how’ to stimulate the sense of taste.
202 In *Proceedings of the 2nd ACM SIGCHI International Workshop on Multisensory Approaches to Human-Food Interaction*. 29–33.
- 203 [32] Chi Thanh Vi, Daniel Arthur, and Marianna Obrist. 2018. TasteBud: Bring taste back into the game. In *Proceedings of the 3rd international workshop*
204 *on multisensory approaches to human-food interaction*. 1–5.
- 205 [33] Zuoyi Zhang, Huizhe Zheng, Sawyer Rempel, Kenny Hong, Teng Han, Yumiko Sakamoto, and Pourang Irani. 2020. A smart utensil for detecting
206 food pick-up gesture and amount while eating. In *Proceedings of the 11th Augmented Human International Conference*. 1–8.